

NK-T series

WATERPROOF PROTECTOR CASE



- Robust and stylish waterproof carrying case in a top loader type design.
- Large carrying handle for easy transportation and for outdoor use.
- Top loading design allows vertical storage of tall items such as measuring instruments or camera lenses.
- Available in two sizes, with or without internal foam.
- Refer to optional parts page for various optional parts.



Technical Data	
Protection class :	IP65
Operating temperature :	-20 ~ +60°C



Components

No.	Part name	Material
1	Cover / Base	Reinforced PP (NK-7)
2	Latch	Nylon 66
3	Handle grip	Elastomer
4	Pressure release valve (※1)	Nylon 66 • PTFE

No.	Part name	Material
5	Strap holder	Nylon66 • Stainless steel
6	Hinge pin (※2)	Stainless steel
7	Gasket	EPDM
8	Foam	Polyurethane / Pre-cut cubed

※1 Pressure release value automatically enables pressure within the case to be equalized with the surrounding, allowing it to be opened with ease, while keeping it waterproof.


※2 Hinge pin can be removed.

- With and Without-foam types are available.



NK-T dimensions

- DXF/DWG/PDF drawings available on our website.



※See page NANUK-ACC-2 for optional NKSP foam.

Product no. / Details

Product no.	External dimensions			Internal dimensions			Foam type	Weight (kg)
	W	D	H	w	d	h		
● Black NK-T20B	325.4	247.5	260.4	235	134	232	Without	1.7
NK-T30B	420.2	238.8	316.7	325	109	287	Without	2.7
NK-T20BS	325.4	247.5	260.4	235	134	232	With	1.72
NK-T30BS	420.2	238.8	316.7	325	109	287	With	2.73

Accessories (Optional parts)



Divider DVI series
See page NANUK-ACC-1



Aluminium panel NKAP series
See page NKAP



Shoulder strap SB1250
See page SB1250 • NSTP810



Padlock AB145S series
See page NANUK-ACC-3



Nameplate sticker NKST
See page NANUK-ACC-3


NK-T dimensions

■ DXF/DWG/PDF drawings available on our website.

NK-T20




Handle rotates up to 90°



NK-T30



Handle rotates up to 90°



Accessories (Optional parts)

NKTD series

TRAY • DIVIDER SET for NK-T



Components

No.	Part name	Material
1	Tray	Reinforced PP (NK-7)
2	Divider	Reinforced PP (NK-7)
3	Handle	Reinforced PP (NK-7)
4	Cover	Reinforced PP (NK-7)

Product no. / Details

Product no.	Suitable model	Weight (g)
NKTD-T20	NK-T20	437
NKTD-T30	NK-T30	663

- A set of tray and divider for convenient storage.
- The handle can be fitted on the tray.
The handle can be removed when not in use.
- Easy organization with tray and divider.

• Handle use example



• Handle cover use example



• Divider use example



NKTD-T20

NKTD-T30

NKAP series


ALUMINIUM PANEL for NK • NKK • NK-T



- Optional aluminium panel can be used as a control / display board of controller, measuring device, transmitter, and others.

NKAP dimensions

Required screws vary based on size.



※ Install panel with ▽ marking towards the latch.

- DXF/DWG/PDF drawings available on our website.

Components

No.	Part name	Material
1	Panel	Aluminium A1100P (Silver anodized)
2	Screw	Stainless steel

- Screws are not included on NKAP963 ~ NKAP975 models.

Product no. / Details

Base side

※NKAP-T20 and T30 comes with U-shaped holes.

Product no.	Suitable model	Thickness	L	W	R	▽ marking	Screw pcs	Inventory type	Weight (g)
NEW NKAP-T20	NK-T20 Base side	2	283.8	193	18	—	4	In stock	289
NEW NKAP-T30	NK-T30 Base side	2	377.5	173.5	18	—	4	In stock	345
NKAP903	NK903 Base side	1.5	198.5	136.5	15	—	4	In stock	109
NKAP904	NK904 Base side	1.5	226	163.5	18	—	4	In stock	149
NKAP905	NK/NKK905 Base side	1.5	257	207	21.5	—	4	In stock	214
NKAP908	NK/NKK908 Base side	1.5	250.9	200.1	18	—	4	In stock	203
NKAP909	NK909 Base side	1.5	304.7	190.4	18	—	4	In stock	234
NKAP910	NK910 Base side	2	346	244.5	17	—	4	In stock	452
NKAP915	NK/NKK915 Base side	2	364.5	252	28	○	8	In stock	496
NKAP918	NK/NKK918 Base side	2	397.5	268.5	27	—	8	In stock	574
NKAP920	NK/NKK920 Base side	2	399.5	285	28	○	8	In stock	606
NKAP923	NK/NKK923 Base side	2	446.3	309.1	28	—	8	In stock	737
NKAP925	NK/NKK925 Base side	2	451.5	318	28	○	8	In stock	760
NKAP930	NK/NKK930 Base side	2	476	350.5	27	○	8	In stock	880
NKAP933	NK/NKK933 Base side	2	477.5	352	27	—	8	In stock	908
NKAP935	NK/NKK935 Base side	2	535	301.5	26.5	○	8	In stock	855
NKAP938	NK/NKK938 Base side	2	566.2	337.6	27	—	10	In stock	1,017
NKAP940	NK/NKK940 Base side	2	526.5	374	27	○	10	In stock	1,050
NKAP945	NK/NKK945 Base side	2	576.5	450	26.5	○	10	In stock	1,395
NKAP950	NK/NKK950 Base side	2	540.8	409.1	27	—	10	In stock	1,179
NKAP960	NK/NKK960 Base side	2	579.7	454.2	27	—	10	In stock	1,402
NKAP963	NK/NKK963 Base side	2	742.4	463	23.2	—	—	BTO (built to order)	1,786
NKAP970	NK970 Base side	2	620.2	620.2	23	○	—	BTO (built to order)	1,991
NKAP975	NK975 Base side	2	760.5	538.2	23.5	—	—	BTO (built to order)	2,156

- For BTO (built-to-order) models, production lead time required will be 5 business days after payment confirmation.

Lid side


※NKAP-T20C and T30C comes with U-shaped holes.

Product no.	Suitable model	Thickness	L	W	R	▽ marking	Screw pcs	Inventory type	Weight (g)
NEW NKAP-T20C	NK-T20 Lid side	1.5	276	187	15	—	4	BTO (built to order)	202
NEW NKAP-T30C	NK-T30 Lid side	2	368	165	15	—	4	BTO (built to order)	320
NKAP905C	NK/NKK905 Lid side	1.5	247.8	197	17	—	4	BTO (built to order)	195
NKAP908C	NK/NKK908 Lid side	1.5	244.1	193.3	14	—	4	BTO (built to order)	189
NKAP909C	NK909 Lid side	1.5	298.1	183.8	14	—	4	BTO (built to order)	219
NKAP910C	NK910 Lid side	1.5	339.5	238	14	—	4	BTO (built to order)	329
NKAP915C	NK/NKK915 Lid side	2	357.5	243.8	23.5	—	8	BTO (built to order)	465
NKAP918C	NK/NKK918 Lid side	2	389.8	260.8	23.5	—	8	BTO (built to order)	541
NKAP920C	NK/NKK920 Lid side	2	389.9	275.5	23.5	—	8	BTO (built to order)	572
NKAP923C	NK/NKK923 Lid side	2	438.3	301.1	23.5	—	8	BTO (built to order)	704
NKAP925C	NK/NKK925 Lid side	2	440.3	307	23.5	—	8	BTO (built to order)	720
NKAP930C	NK/NKK930 Lid side	2	465.7	340	23.5	—	8	BTO (built to order)	841
NKAP933C	NK/NKK933 Lid side	2	467.8	342	23.5	—	8	BTO (built to order)	851
NKAP935C	NK/NKK935 Lid side	2	524.2	290.4	23.5	—	8	BTO (built to order)	810
NKAP938C	NK/NKK938 Lid side	2	558.3	329.7	23.5	—	10	BTO (built to order)	981
NKAP940C	NK/NKK940 Lid side	2	516.3	363.9	23.5	—	10	BTO (built to order)	1,000
NKAP945C	NK/NKK945 Lid side	2	570	443	23.5	—	10	BTO (built to order)	1,342
NKAP950C	NK/NKK950 Lid side	2	530	398.6	23.5	—	10	BTO (built to order)	1,120
NKAP960C	NK/NKK960 Lid side	2	568.7	443.3	23.5	—	10	BTO (built to order)	1,336
NKAP970C	NK970 Lid side	2	622.6	622.6	23.8	○	—	BTO (built to order)	1,966
NKAP975C	NK975 Lid side	2	760.4	538.2	23.5	—	—	BTO (built to order)	2,155

- For BTO (built-to-order) models, production lead time required will be 5 business days after payment confirmation.

DVI series

DIVIDER for NK • NKK • NK-T



Components

No.	Part name	Material
1	Base	Nylon
2	Divider	Polyester
3	Waved foam	Polyester
4	Strap	Nylon

■ Straps are available according to the model.

- Divider for organizing your components or equipment.
- Adjustable hook and loop fasteners allows for easily size adjustments.
- Padded dividers are designed to easily organize and protect your equipment.


APPLICATION EXAMPLE



Product no. / Details

Product no.	Suitable model	Weight (g)
NEW DVI-T20	NK-T20	485
NEW DVI-T30	NK-T30	762
DVI905	NK/NKK905	288
DVI908	NK/NKK908	453
DVI915	NK/NKK915	542
DVI918	NK/NKK918	800
DVI920	NK/NKK920	753
DVI923	NK/NKK923	1,025
DVI925	NK/NKK925	968
DVI930	NK/NKK930	1,220
DVI933	NK/NKK933	1,500
DVI935	NK/NKK935	1,190
DVI938	NK/NKK938	1,360
DVI940	NK/NKK940	1,695
DVI945	NK/NKK945	1,940
DVI950	NK/NKK950	1,810
DVI960	NK/NKK960	3,230


DVI-T20




DVI905 / 908




DVI918




DVI923




DVI935




DVI940



DVI945



DVI950



DVI-T30 ※2 divider layers available.

▼1st layer



▼2nd layer




DVI915




DVI920



DVI925 / 930 / 933




DVI938




DVI960 ※2 divider layers available.

▼1st layer



▼2nd layer





NKSP series

SPONGE FOAM for NK • NKK • NK-T



- Pre-cubed foam can be easily cut to make a suitable storage space.
 - Available as three-layered foam set with waved (for cover side), pre-cubed foam (for base side) and base foam.
- ※Pre-cubed foam is not available for NKSP990 model.




※ Color migration may occur depending on usage conditions.

■ DXF/DWG/PDF drawings available on our website.

Product no. / Details

Product no.	Suitable model	Foam layer details	Cut-line pitch	Weight (g)
NEW NKSP-T20	NK-T20	Waved foam x 1 • Pre-cubed foam x 3 • Base foam x 1	12.7	208
NEW NKSP-T30	NK-T30	Waved foam x 1 • Pre-cubed foam x 5 • Base foam x 1	12.7	307
NKSP903	NK903	Waved foam x 1 • Pre-cubed foam x 1 • Base foam x 1	12.7	40
NKSP904	NK904	Waved foam x 1 • Pre-cubed foam x 1 • Base foam x 1	12.7	70
NKSP905	NK/NKK905	Waved foam x 1 • Pre-cubed foam x 1 • Base foam x 1	12.7	120
NKSP908	NK/NKK908	Waved foam x 1 • Pre-cubed foam x 2 • Base foam x 1	12.7	158
NKSP909	NK909	Waved foam x 1 • Pre-cubed foam x 1 • Base foam x 1	12.7	158
NKSP910	NK910	Waved foam x 1 • Pre-cubed foam x 1 • Base foam x 1	12.7	150
NKSP915	NK/NKK915	Waved foam x 1 • Pre-cubed foam x 2 • Base foam x 1	12.7	250
NKSP918	NK/NKK918	Waved foam x 1 • Pre-cubed foam x 3 • Base foam x 1	12.7	390
NKSP920	NK/NKK920	Waved foam x 1 • Pre-cubed foam x 2 • Base foam x 1	12.7	320
NKSP923	NK/NKK923	Waved foam x 1 • Pre-cubed foam x 2 • Base foam x 1	12.7	399
NKSP925	NK/NKK925	Waved foam x 1 • Pre-cubed foam x 2 • Base foam x 1	12.7	430
NKSP930	NK/NKK930	Waved foam x 1 • Pre-cubed foam x 2 • Base foam x 1	12.7	540
NKSP933	NK/NKK933	Waved foam x 1 • Pre-cubed foam x 3 • Base foam x 1	12.7	700
NKSP935	NK/NKK935	Waved foam x 1 • Pre-cubed foam x 2 • Base foam x 1	12.7	710
NKSP938	NK/NKK938	Waved foam x 1 • Pre-cubed foam x 4 • Base foam x 1	12.7	856
NKSP940	NK/NKK940	Waved foam x 1 • Pre-cubed foam x 2 • Base foam x 1	15	730
NKSP945	NK/NKK945	Waved foam x 1 • Pre-cubed foam x 2 • Base foam x 1	15	1,000
NKSP950	NK/NKK950	Waved foam x 1 • Pre-cubed foam x 3 • Base foam x 1	15	1,000
NKSP960	NK/NKK960	Waved foam x 1 • Pre-cubed foam x 4 • Base foam x 1	12.7	1,500
NKSP980	NK/NKK980	Waved foam x 1 • Pre-cubed foam x 2 • Base foam x 1	12.7	650
NKSP990	NKK990	Waved foam x 1 • Uncut foam x 2 • Base foam x 1	—	1,490



CUSTOMIZE



- Customizable foam is available.
- Custom foam option provide own designed foam around customer needs.

CUSTOMIZED EXAMPLE



SB1250

SHOULDER STRAP



- Polypropylene strap with PVC shoulder pad to provide cushioning as well as reducing burden on the shoulders.
- Usable with other bags or cases with a D-ring or similar attachment.
- Strap length is adjustable anywhere from 750mm to 1250mm.
- 38mm strap width.

Can be attached directly onto NK • NKK series cases.

※Not applicable for NK903, NK904, NK909, NK970, NK975, NKK990, NK • NKK938, NK • NKK950, NK • NKK960 and NK • NKK963 models.

Technical Data

Max load : 11kg

※Reference value only.

Components

No.	Part name	Pcs	Material	Color
1	Strap	1	Polypropylene	Black
2	Shoulder pad	1	PVC	Black
3	Strap adjuster	1	POM	Black
4	Swivel snap hook	2	POM	Black

Product no. / Details

Product no.	Weight (g)	Pack of
SB1250	108	1

NSTP810

SHOULDER STRAP



- Nylon shoulder strap with polyurethane pads to reduce fatigue when carrying.

Components

No.	Part name	Material
1	Belt	Nylon
2	Pad	Neoprene • Polyurethane
3	Hook	Steel (Black painted)

Product no. / Details

Product no.	Weight (g)	Pack of
NSTP810	238	1


※Belt length can be adjustable from 810mm to 1,170mm

※Not applicable for NK903, NK904, NK909, NK970, NK975, NKK990, NK • NKK938, NK • NKK950, NK • NKK960 and NK • NKK963 models.



AB145S

PADLOCK




Components

No.	Part name	Material
1	Body	Aluminium
2	Shank	Steel
3	Dial	Zinc alloy

Product no. / Details

Product no.	Weight (g)	Quantity
AB145S	52	1

※Not applicable for NK-T30 model.



NKST series

NAMEPLATE STICKER




Color nameplate can be performed by digital inkjet printing on a white plate.



- 0.3mm thick plastic nameplate with double sided tape on the back.
- Custom name plate can be made with your company name, logo, product number or lot number with digital inkjet printing.
- Digital inkjet print or silkscreen is possible from just 1 piece.

Product no. / Details

Product no.		Suitable model	Dimensions		Quantity
● Black	● White		A	B	
NKST-2B	NKST-2W	NK903,904	62.7	9.1	1
NKST-3B	NKST-3W	NK/NKK905 ~ 960	75.1	9.1	1
		NK-T20,30			



UNIQUE COLORS AVAILABLE

NK-T series

※See page NK-T-1~NK-T-2



Orange



Olive

NK series

※See page NK-T-1~NK-T-2



Graphite
Only available for
NK903 ~ 935
940 ~ 960 models



Orange
Only available for
NK903 ~ 960 models



Olive
Only available for
NK903 ~ 920, 925
930, 935, and 940 ~ 960
models



Tan
Only available for
NK909 and 910 models



Lime
Only available for
NK903 ~ 908
910 models



Blue
Only available for
NK903 ~ 915
920 and 935 models



Red
Only available for
NK903 ~ 915
920 and 935 models

NKK series

※See page NK-T-1~NK-T-2



• For NKK series, Olive color is only available for NKK990 model.

Unique color Product no. list.

※See NK, NKK and NK-T pages for the details.

Without-foam type

Product no.							
Orange	Graphite	Olive	Blue	Red	Lime	Tan	Yellow
NK-T20O	—	NK-T20OL	—	—	—	—	—
NK-T30O	—	NK-T30OL	—	—	—	—	—
NK903O	—	NK903OL	NK903M	NK903R	—	—	—
NK904O	NK904G	—	NK904M	NK904R	NK904L	—	—
NK905O	NK905G	—	—	NK905R	—	—	—
—	NK908G	—	NK908M	NK908R	—	—	—
NK909O	NK909G	NK909OL	NK909M	NK909R	—	NK909T	—
NK910O	NK910G	NK910OL	NK910M	NK910R	NK910L	NK910T	—
NK915O	NK915G	NK915OL	NK915M	NK915R	—	—	—
NK918O	NK918G	—	—	—	—	—	—
NK920O	NK920G	—	NK920M	NK920R	—	—	—
—	NK923G	—	—	—	—	—	—
NK925O	NK925G	NK925OL	—	—	—	—	—
NK930O	NK930G	NK930OL	—	—	—	—	—
NK935O	NK935G	NK935OL	NK935M	NK935R	—	—	—
NK938O	—	—	—	—	—	—	—
NK940O	NK940G	—	—	—	—	—	—
NK945O	—	—	—	—	—	—	—
NK950O	NK950G	—	—	—	—	—	—
NK960O	NK960G	—	—	—	—	—	NK960Y
—	—	NKK990OL	—	—	—	—	—

With-foam type

Product no.							
Orange	Graphite	Olive	Blue	Red	Lime	Tan	Yellow
NK-T20OS	—	NK-T20OLS	—	—	—	—	—
NK-T30OS	—	NK-T30OLS	—	—	—	—	—
NK903OS	—	NK903OLS	NK903MS	NK903RS	—	—	—
NK904OS	NK904GS	—	NK904MS	NK904RS	NK904LS	—	—
NK905OS	NK905GS	—	—	NK905RS	—	—	—
—	NK908GS	—	NK908MS	NK908RS	—	—	—
NK909OS	NK909GS	NK909OLS	NK909MS	NK909RS	—	NK909TS	—
NK910OS	NK910GS	NK910OLS	NK910MS	NK910RS	NK910LS	NK910TS	—
NK915OS	NK915GS	NK915OLS	NK915MS	NK915RS	—	—	—
NK918OS	NK918GS	—	—	—	—	—	—
NK920OS	NK920GS	—	NK920MS	NK920RS	—	—	—
—	NK923GS	—	—	—	—	—	—
NK925OS	NK925GS	NK925OLS	—	—	—	—	—
NK930OS	NK930GS	NK930OLS	—	—	—	—	—
NK935OS	NK935GS	NK935OLS	NK935MS	NK935RS	—	—	—
NK938OS	—	—	—	—	—	—	—
NK940OS	NK940GS	—	—	—	—	—	—
NK945OS	—	—	—	—	—	—	—
NK950OS	NK950GS	—	—	—	—	—	—
NK960OS	NK960GS	—	—	—	—	—	NK960YS
—	—	NKK990OLS	—	—	—	—	—